

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: BOND MS 440 High Tack**
- **Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*
- **Application of the substance / the mixture**  
*Adhesives*  
*Sealant*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Scibo BV*  
*Valeriusstraat 251h*  
*1075 GB Amsterdam*  
*The Netherlands*  
*Tel.: +31 6 300 733 06*  
*info@scibo-chemie.com*
- **Further information obtainable from: Product Safety Department**
- **Emergency telephone number: Scibo BV: 8.30-12.30, 13.30-17.00; Tel.: +31 6 300 733 06**

### SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
*The product is not classified, according to the GB CLP regulation.*
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **Additional information:**  
*Contains trimethoxyvinylsilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.*  
*Safety data sheet available on request.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **Mixtures**
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

· **Dangerous components:**

CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-XXXX	trimethoxyvinylsilane ⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H332; Skin Sens. 1B, H317	≥0.1–<1%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39-XXXX	N-(3-(trimethoxysilyl)propyl)ethylenediamine ⚠ Eye Dam. 1, H318; ⚠ Skin Sens. 1, H317; STOT SE 3, H335	≥0.1–<1%

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

**Trade name: BOND MS 440 High Tack**

(Contd. of page 1)

· **Additional information:** *For the wording of the listed hazard phrases refer to section 16.*

### SECTION 4: First aid measures

- **Description of first aid measures**
- **After inhalation:** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact:** *Generally the product does not irritate the skin.*
- **After eye contact:** *Rinse opened eye for several minutes under running water.*
- **After swallowing:** *If symptoms persist consult doctor.*
- **Most important symptoms and effects, both acute and delayed**  
*No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

### SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:** *Pick up mechanically.*
- **Reference to other sections**  
*See Section 7 for information on safe handling.*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for disposal information.*

### SECTION 7: Handling and storage

- **Precautions for safe handling** *No special precautions are necessary if used correctly.*
- **Information about fire - and explosion protection:** *No special measures required.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *None.*
- **Storage class:** *13*
- **Specific end use(s)** *No further relevant information available.*

GB

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

**Trade name: BOND MS 440 High Tack**

(Contd. of page 2)

### SECTION 8: Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- **Additional information:** *The lists valid during the making were used as basis.*
- **Exposure controls**
- **Appropriate engineering controls** *No further data; see section 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** *Wash hands before breaks and at the end of work.*
- **Respiratory protection:** *Not required.*
- **Hand protection**  
*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*  
*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves**  
*Chemical-resistant protective gloves (EN ISO 374).*  
*Minimum layer thickness: 0.5 mm*  
*Permeation time (breakthrough time): 480 min*  
*The breakthrough times determined according to EN 16523-1 were not carried out under practical conditions.*  
*A maximum wearing time corresponding to 50 % of the breakthrough time is recommended.*  
*Nitrile rubber, NBR*  
*Butyl rubber, BR*  
*Chloroprene rubber, CR*  
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- **Penetration time of glove material**  
*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye/face protection**



*Tightly sealed goggles*

### SECTION 9: Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** *Solid*
- **Colour:** *Various colours*
- **Odour:** *Characteristic*
- **Odour threshold:** *Not determined.*
- **Melting point/freezing point:** *Undetermined.*

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

**Trade name: BOND MS 440 High Tack**

(Contd. of page 3)

· <b>Boiling point or initial boiling point and boiling range</b>	<i>Undetermined.</i>
· <b>Flammability</b>	<i>Not determined.</i>
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	<i>Not determined.</i>
· <b>Upper:</b>	<i>Not determined.</i>
· <b>Flash point:</b>	<i>Not applicable.</i>
· <b>Decomposition temperature:</b>	<i>Not determined.</i>
· <b>pH</b>	<i>Not applicable.</i>
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	<i>Not applicable.</i>
· <b>Dynamic:</b>	<i>Not applicable.</i>
· <b>Solubility</b>	
· <b>water:</b>	<i>Insoluble.</i>
· <b>Partition coefficient n-octanol/water (log value)</b>	<i>Not determined.</i>
· <b>Vapour pressure:</b>	<i>Not applicable.</i>
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	<i>1.5 g/cm<sup>3</sup></i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapour density</b>	<i>Not applicable.</i>

· <b>Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	<i>Pasty</i>
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	<i>Product is not selfigniting.</i>
· <b>Explosive properties:</b>	<i>Product does not present an explosion hazard.</i>
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	<i>Not applicable.</i>

· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	<i>Void</i>
· <b>Flammable gases</b>	<i>Void</i>
· <b>Aerosols</b>	<i>Void</i>
· <b>Oxidising gases</b>	<i>Void</i>
· <b>Gases under pressure</b>	<i>Void</i>
· <b>Flammable liquids</b>	<i>Void</i>
· <b>Flammable solids</b>	<i>Void</i>
· <b>Self-reactive substances and mixtures</b>	<i>Void</i>
· <b>Pyrophoric liquids</b>	<i>Void</i>
· <b>Pyrophoric solids</b>	<i>Void</i>
· <b>Self-heating substances and mixtures</b>	<i>Void</i>
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	<i>Void</i>
· <b>Oxidising liquids</b>	<i>Void</i>
· <b>Oxidising solids</b>	<i>Void</i>
· <b>Organic peroxides</b>	<i>Void</i>
· <b>Corrosive to metals</b>	<i>Void</i>

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

**Trade name: BOND MS 440 High Tack**

(Contd. of page 4)

· <b>Desensitised explosives</b>	Void
----------------------------------	------

### SECTION 10: Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
*No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

### SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

- **LD/LC50 values relevant for classification:**

**CAS: 2768-02-7 trimethoxyvinylsilane**

Oral	LD50	6,899 mg/kg (rat)
Dermal	LD50	3,158 mg/kg (rab)

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

Oral	LD50	2,995 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*
- **Serious eye damage/irritation** *Based on available data, the classification criteria are not met.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

- **Information on other hazards**

- **Endocrine disrupting properties**

*None of the ingredients is listed.*

### SECTION 12: Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

**Trade name: BOND MS 440 High Tack**

(Contd. of page 5)

- **vPvB:** *Not applicable.*
- **Endocrine disrupting properties**  
*The product does not contain substances with endocrine disrupting properties.*
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

### SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*

### SECTION 14: Transport information

- |  |                        |
|--|------------------------|
| <ul style="list-style-type: none"> <li>· <b>UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                  | <i>not regulated</i>   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                 | <i>not regulated</i>   |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | <i>not regulated</i>   |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | <i>not regulated</i>   |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> </ul>  | <i>Not applicable.</i> |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>  | <i>Not applicable.</i> |
| <ul style="list-style-type: none"> <li>· <b>Maritime transport in bulk according to IMO instruments</b></li> </ul>                                   | <i>Not applicable.</i> |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>  | <i>not regulated</i>   |

### SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

*None of the ingredients is listed.*

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 17.12.2024

Version number 1

Revision: 17.12.2024

**Trade name: BOND MS 440 High Tack**

(Contd. of page 6)

· **Regulated poisons**

*None of the ingredients is listed.*

· **Reportable explosives precursors**

*None of the ingredients is listed.*

· **Reportable poisons**

*None of the ingredients is listed.*

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **National regulations:**

· **VOC (EU) 0 %**

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H226 Flammable liquid and vapour.*

*H317 May cause an allergic skin reaction.*

*H318 Causes serious eye damage.*

*H332 Harmful if inhaled.*

*H335 May cause respiratory irritation.*

· **Department issuing SDS:** *Product Safety Department*

· **Contact:** *info@scibo-chemie.com*

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*ATE: Acute toxicity estimate values*

*Flam. Liq. 3: Flammable liquids – Category 3*

*Acute Tox. 4: Acute toxicity – Category 4*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1B: Skin sensitisation – Category 1B*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

· \* **Data compared to the previous version altered.**